


**2024 WARD**



**THE ADVENTURE  
BEGINS WITH THE RIGHT TOOLS**

**SERVING GENERATIONS AND  
SEARCHING FOR PROBLEMS TO SOLVE  
SINCE 1983  
ONE TOOL AT A TIME**

**PURVEYORS, PEDDLERS, PICKERS,  
TRADERS, RECYCLERS,  
MANUFACTURERS, IMPORTERS,  
LIQUIDATORS, AND NEIGHBORS**



**NORMAL BUSINESS HOURS MONDAY THROUGH FRIDAY 8 TO 5,  
EXCEPT NOT OPEN DURING OUR TEAM MEETING 8 TO 9  
ON THURSDAYS USUALLY OPEN EVERY OTHER SATURDAY 8 AM TILL NOON  
CALL FOR SCHEDULE CLOSED MOST HOLIDAYS**



**ESTABLISHED 1983**  
401 7TH AVE., BEAVER FALLS PA 15010  
WAREHOUSE LOCATION 1017 10TH ST., BEAVER FALLS PA 15010  
Phone 724-847-0800 | Fax 724-847-1808 | toll-free 1-800-783-4766  
Hts401@yahoo.com | Toolsupermarket.com | accuramachinetools.com

**2024. The Adventure continues!** *Living the dream! We are working behind-the-scenes to provide support for our customers. Sharing: that was one of the greatest things we learned from our mother at a very young age. With passion and personal service, we share our love for tools, our knowledge, our sources and resources, supplies, ideas, and information with our customers. And our customers have shared with us and trusted us with their knowledge, ideas, and dreams. We have built our businesses together. For this, we are forever thankful. May the young folks have great visions, and the older folks dream great dreams, and let us together bring those dreams and visions to life. If you can conceive it and believe it, you can achieve it!*

**Hamilton Tool and Supply Company** is not a faceless mega corporation but is a family run, independent, American owned, generational business with local roots and global impact. You don't have to deal with a kid on a computer taking orders over the phone. We are the guys with grease in our fingernails, shavings in our sleeves, and sawdust on our boots. We know and love tools because we use them, work with them, build them fix them, respect them, and appreciate their value. With us, you are never just a number on an order form. You are a fellow traveller on this road that tools built. Our solutions empower our customers with increasing productivity, efficiency, and profitability.

**Value-added services offered by Hamilton Tool:** free advice, free catalogs, free tours, trade-ins accepted, machine manuals, used tool and machinery department, used tool want list, parts, bearings, motors, switches, and controls.

**Other tool categories offered:** air compressors and pumps, air tools, antique tools, automotive tools, blacksmith tools, sheetmetal shop equipment, hydraulic and manual jacks, porta powers, contractor's tools and equipment, ladders, scaffolding, stages, hand tools and wrenches, hoists and come-alongs, machinist tools, measuring tools, outdoor power equipment, safety equipment, tool storage, tradesmen tools, welders, and welding supplies, fabrication tools, benders, pumps, generators, chainsaws, portable electric and cordless power tool systems.

**Machine accessories:** abrasive belts, disc rolls, sheets, and sleeves. Bandsaw blades, parts, ball bearing guide updates and tires, carbide cutter-heads, inserts, shaper cutters, rotary tables, dividing heads, super spacers, chucks, clamps, jigs, drill press springs, dust collection hoses, accessories, and hoods, jointer cutter-heads, knives, gibbs and parts, mobile bases, mortising kits and accessories, powerfeeder rollers, shaper quills, spindles, and router collets, planer heads, knives, and parts, pump sleeve sander accessories and parts, router bits and collets, saw blades, shaper fences, tablesaw extension tables, sliding tables and fence and rail sets, roller table accessories, vises of all kinds. Coolant and coolant pump systems, lathe cutters, accessories, and tooling. Drillbits, milling cutters, and so much more.

**Vacation destination!** *We have been called the world's most unique tool store! Why do people drive for days to get here? It's not because we give poor directions!*

**About the Father's business:** *Hamilton Tool and Supply is a kingdom business.*

**Prosperity is God's idea:** *Prosperity has a purpose, and we are being selfish if we can't help others. Expanding the kingdom is good business. God has always called businessmen like Abraham, Joseph, Daniel. Jesus used Simon's boat (business) to preach the gospel! What's on God's agenda? The great commission, not the great suggestion.*

Mark 16:15 "Go ye into all the world, and preach the gospel to all creation." Matthew 9:36-37 "Jesus told His disciples: The harvest is truly plentiful, but the laborers are few. Therefore pray to the Lord of the harvest to send out workers into His harvest." **We are just stewards, and if we give the Lord what is in our hands, He can multiply it to bring in the harvest.**

## Fred "Hammer" Hamilton



Standing behind our machines since 1983.

### Contents

Planers.....	1-4
Jointers.....	5
Shapers.....	6-8
Wood Saws.....	9-13
Sanders.....	14-17
Power Feeders.....	19
Dust Collectors.....	20
Metal Saws.....	21-23
Pan/Box Brakes & Hydraulic Presses.....	24
Drill Presses.....	25

We choose to publish our prices to serve all folks the same. Although prices have stabilized, they could be subject to change.

### ACCURA 01124 24" Production Planers

**Popular** with sawmills, lumberyards, cabinetmakers, furniture builders and millwork shops. Featuring rigid cast iron frame construction for durability and precision and to make the boards conform to the machine for precise thicknessing.

#### Features:

- The 28" x 25" cast-iron table is ground and polished and raises and lowers with 7/8 inch diameter Jack screws which are contained in rubber Bellows to prevent clogging with chips. This table travels up and down on the cast-iron slab side frame and has adjustable gibs for accuracy and a locking knob for repeated passes.
- The cutterhead bearings have grease fittings, and the other bearings on the machine and motor are permanently lubricated and sealed for long life.
- Dual veebelt drive from motor to cutterhead.
- The infeed roller is sectional with 24 pcs. 1 inch wide, independent spring loaded sections to aid in planing two or three narrow strip boards of unequal thicknesses on a single pass, or boards of varying taper from a rough sawmill.
- The segmented cast-iron chip breakers are also 1 inch sectional that aid in holding down the stock and wrap around the cutterhead for superior chip breaking ability.
- Separate feed motor with adjustable pulleys vary the speed between 19 and 39 ft./min. giving high production feed rate or best finishes by slowing down on the final pass on figured or hard to machine lumber.
- Lever adjustable table bed rolls are great. Set high for rough sawmill stock or at the lowest setting for finish work, and to keep snipe at a minimum.
- 5" diameter outlet dust chute to exhaust your shavings.
- This cutterhead has six rows of carbide inserts. 150 Pcs total.
- All electric models include 1HP feed motors and magnetic starters with low voltage controllers and overload protection.

#### Specifications:

- 24 inch maximum width of cut
- 8 inch minimum length of stock
- 7 inch maximum thickness of stock
- 1/4" minimum thickness of stock
- Solid steel cutterhead is 3 inches in diameter and spins at 5300 RPM
- Footprint 21" deep x 38" wide by 48" high
- Shipping dimensions 33" x 43" x 48" high
- 1,053 lbs



Chrome rollers assist in sending boards back to plane for the next pass.

Anti-kickback fingers to ensure operator safety



Heavy cast iron gears give long life and smooth transmission of power.



Both motors mounted inside the base cabinet out of the way of most chips, etc.

#### Carbide head Models available:

01124 VHS 5 HP 220 V Single Phase .....	\$7272.72
01124 VHTS 10 HP 3 PHASE 220/440.....	\$7272.72
01124 VHBS Without electrics with variable speed, pulley set for use with line shaft, air motors or hydraulics.....	\$6464.64

#### Straight knife models also available:

(Can always be upgraded to helical heads in the future)

01124 V 5HP Single phase 220 V.....	\$4949.49
01124 VB Without electrics with variable speed pulleys for use with line shaft, hydraulic or air motors.....	\$4588.54

#### Replacement cutters on hand:

APCI-415A 15 x 15 x 2.5 mm with r100 radius. Pack of 10:.....	\$35.00
APCI-424 14 x 14 x 2 mm for machines built before the year 2000. Pack of 10:.....	\$24.10
APCH-415B Complete new quickchange cutterhead assembly with bearing blocks, gear, pulley and all cutters installed with the new, shear spiral technology in stock.....	\$1999.99

**We have a fully stocked parts department to support these machines!**

Our most popular models are the helical head design. these models use indexable carbide inserts, which are inserted into the cutterhead in a helical fashion with the cutting edges at a shear angle to the cutterhead. The inserts also have radius cutting edges and this combination of shear angle and radiused edges perform marvelous work on figured lumber like curly maple and cherry, rustic Hickory and exotic woods, and saves a lot of sanding and tear out. This shearing affect also gives longer cutter life and quieter operation. The indexing feature means that these cutterhead tips index into their precisely machined seats on the cutterhead without any adjustment; only a torque setting of 55 inch pounds. When the cutters become dull or damaged, just loosen the screw and turn the insert 90° to expose a new cutting edge. Each tip has four cutting edges. Also, unlike using conventional planer knives, when you hit something like a nail or a staple you just turn the cutter 90° to replace a cutting edge. Save valuable time—no more futzing around pulling all your knives and getting them sharpened and reinstalling them. Time savings alone can pay for this machine in record time.

**ACCURA 01130H 30" THICKNESS PLANER WHEN YOU NEED TO GO BIG!!**



Accura 01130H 30 inch thickness planer when you need to go big!

**Outstanding features:**

Massive cast iron machine frame to make the boards conform to the machine

Powerful 15 hp cutterhead motor

Shear-spiral carbide insert head provides high chip removal rate, superior surface finish and low noise level

Heavy cast iron table measures 31" x 38" and is heat treated and precision ground

The table is manually elevated with two 1 1/2" diameter Jack screws providing solid support.

Two corrugated sectional infeed rolls have independent movement for running strip stock of varying thicknesses and improve safety

Sectional 2 inch wide, cast-iron, spring loaded chipbreaker holddowns give outstanding performance.

Adjustable table bedrolls for rough stock, finished stock or glued up panels

Anti-kickback fingers provided at the infeed give added safety

Manual of operations and parts list along with service tool kit included

**Specifications**

Cutterhead diameter, 3.86 inches / cutting circle 4 inches

Cutterhead speed 5500 RPM

Six spiral rows of carbide inserts /180 inserts/15x15x2.5 mm

3" diameter feed rolls 2 1/2" diameter table rolls

6" Diameter dust outlet

3 feed speeds 18, 27, or 36 feet per minute

Maximum width of stock 30 inches

Maximum thickness of stock 8 inches

Minimum thickness of stock 1/4 inch

Maximum depth of cut 5/16 inches

Cutterhead motor 15 hp 3 phase

Feed motor 2 hp 3 phase

Crate size 56" x 46" x 57" high

Shipping weight 2264 pounds net weight 2096 pounds

**Photo showing dual sectional infeed rolls and heavy-duty anti-kickback fingers.**  
Close-up photo of helical carbide head and cast-iron chip breakers with heavy springs



**SALE PRICE \$12,345.67**

# CAST IRON PLANERS

## BUY ONE TIME AND USE FOR YOUR LIFETIME

STATIONARY FIXED TABLE MODELS ARE GREAT FOR EASE OF SETTING UP IN- FEED AND OUT- FEED TABLES FOR PRODUCTION WORK



Oliver M4430 20" planer 20" x 51" table 5 hp 220 volt carbide helical head  
**\$4299.99**



SHOP FOX W1873 15" planer 3 HP Three knife straight head  
**\$1999.91**



Shop Fox W1874 15" planer 3 hp carbide helical head  
**\$2575.25**



GRIZZLY G0815 15" bench model cast-iron planer three knives \$1575.51 optional stand \$120

### TRADITIONAL 15 INCH PLANERS

Shop Fox W1862 3 knife 3 hp  
**\$2599.52**

Shop Fox W1863 carbide HELICAL head planer 3 hp cast-iron plank tables  
**\$3233.34**



MOLDER/PLANERS/SAVE MONEY/MAKE MONEY!

Shop Fox W1812 open sided planer-molder 7 inch capacity Make custom moldings. **\$1999.91**

SHOP FOX W1842 13" planer- molder  
**\$1699.61**

Carbide SPIRAL head portable 13" planer SHOP FOX W1877 sale price **\$777.77**



HEAVY DUTY CABINET SHOP PLANERS 20" GEAR FEED WITH HUGE 20"X 56" LONG CAST IRON TABLES IS LIKE HAVING A 20 INCH WIDE JOINTER! WE HAVE BEEN SELLING PLANERS FROM THIS HIGHLY REGARDED TAIWAN FACTORY FOR OVER 35 YEARS AND MOST OF THEM ARE STILL IN SERVICE WORKING HARD

5HP 220 VOLT 1 PH 20" WIDTH CAPACITY BY 8" THICKNESS CAPACITY

TWO SPEED GEARBOX 16 AND 28 FPM 5 INCH DUST PORT

WE HAVE TWO MODELS AVAILABLE

MOST POPULAR MODEL IS THE W1865 WITH CARBIDE HELICAL INSERT CUTTERHEAD WITH 92 PCS 15X15X 2.5 MM CARBIDE INSERTS

W1865 5HP **\$4588.54**

W1865B WITHOUT ELECTRICS **\$4488.44**

**THE TRADITIONAL STRAIGHT KNIFE MODEL W1864 HAS A 4 KNIFE CUTTERHEAD, AND CAN ALWAYS BE UPDATED TO THE HELICAL CARBIDE HEAD ANYTIME IN THE FUTURE**

W1864 5 HP STRAIGHT KNIFE **\$3388.33**

W1864B WITHOUT ELECTRICS **\$3288.23**



**GET YOUR JOBS STRAIGHTENED OUT WITH THESE HUGE & HEAVY CAST-IRON 12" JOINTERS WITH PARALLELOGRAM TABLES AND CARBIDE HELICAL HEADS**



GRIZZLY G0834 12"X 84" SPIRAL CARBIDE HEAD WITH MACHINED AND POLISHED CAST-IRON TABLES AND CAST-IRON STAND IS SOLID AS A ROCK. 8 ROW SPIRAL CUTTERHEAD IS 3-7/8" DIAMETER & SPINS AT 4950 RPM AND IS FITTED WITH 96 GERMAN MADE 15X15X2.5 CARBIDE INSERTS. 5HP 230V 1 PH. 5" DUST PORT SHIP WEIGHT 1278 LBS

**\$5555.55**



OLIVER, 12" X 88" JOINTER WITH CARBIDE HELICAL CUTTERHEAD MASSIVE CAST-IRON FRAME 47" LONG BY 6" WIDE CAST-IRON FENCE. 5500 RPM CUTTERHEAD WITH 56 INSERTS. DRO HEIGHT. 6 INCH DUST PORT. POLY V BELT. FOOT ACTUATED EMERGENCY SHUT OFF. 980 LB SHIP WEIGHT.

Model 4265C-3HP-1PH **\$6999.99**

Model 4265C-5HP-3PH **\$7099.99**

ALSO AVAILABLE ARE 16"X100" LONG PARALLELOGRAM HELICAL HEAD JOINTERS

Model 4275C.05IT-5HP-1PH **\$8899.99**

Model 4275C.102-7.5HP-3PH **\$8999.99**

# JOINTERS MAKE THE JOB

**Shop Fox** cast iron machines for accuracy and long life

SHOP FOX 8" X 72" LONG BED JOINTERS WITH DOVETAIL WAYS AND HAND CRANKED TABLE RAISING 3 HP 230 V SINGLE PHASE WITH BUILT-IN MOBILE BASES

W1857 4 KNIFE CUTTERHEAD **\$1899.81**

W1858 CARBIDE HELICAL HEAD MODEL **\$2488.42**



SHOP FOX, 8" X 76" LONG BED JOINTERS WITH PARALLELOGRAM TABLES 3 HP 230 V SINGLE PHASE 4 1/2" X 38" FENCE QUICK LEVER TABLE ADJUSTMENTS BUILT IN MOBILE BASES

W1859 4 KNIFE CUTTERHEAD **\$2277.22**

W1860 HELICAL CARBIDE HEAD WITH 15 X 15 X 2.5 INSERTS **\$2799.72**



OLIVER MODEL 4225 6" LONG BED HELICAL HEAD PARALLELOGRAM, JOINTER WITH 5-3/4" BY 60" TABLE 1 HP 115/230 V **\$1799.99**

SHOP FOX W1745 6" X 46" JOINTER QUICK ADJUST IN FEED TABLE OVERSIZE 5" X 35" CAST-IRON FENCE 1 HP 120V BUILT-IN MOBILE BASE **\$1088.01**



## PORTABLE MACHINES

Shop Fox, W1876 benchtop jointer 6" x 30" bed with spiral cutterhead **\$499.94**

GRIZZLY G0958 8" INCH JOINTER-PLANER COMBINATION WITH HELICAL CARBIDE HEAD **\$688.88**



### Industrial 1 1/4" Models



Accra 02344 Shapers 1-1/4" And 3/4" Super Duty 35" X 28" Tables  
5-1/8" Capacity Under The Nut On The 1-1/4" Spindle  
4speeds 3600,5100,8000,And 10,000 Rpm  
5-7/8" Diameter Maximum Cutter Diameter  
With Hold Downs Approximately 800 Lbs  
Model 02344b Without Electrics **\$3222.23**  
Model 02344 5hp 1ph **\$3738.39**  
Model 02344t 7.5 Hp 3ph **\$3738.39**



GRIZZLY G0900 1-1/4" AND 3/4" SPINDLE SHAPER 5HP 1PH.  
39-1/4"x31-1/2" TABLE  
independent micro adjustable fences with a dial  
5000,7000,and 10,000 RPM 7" max table opening. 5" under the  
nut on the 1-1/4"spindle feather boards are mounted on the table  
and fence 4" dust port **\$3888.83**

South Bend Heavy Duty Shapers Variable Speed 5000-10000 Rpm  
Huge 31-1/2" X 39-1/4" Tables.  
3/4" And 1-1/4" Spindles Included  
7 Inch Maximum Table Opening  
Digital Read Out For Spindle Speed And Height  
Micro Adjustable Fence  
5-1/8"Under The Nut On The 1-1/4" Spindle  
Dual Dust Ports  
Two Models Available  
Sb1119 Three Hp 1ph **\$4444.44**  
Sb 1120 5 Hp 1ph **\$4555.54**  
Approximately 800 Pounds Shipping Weight





# SUPER SHAPERS TO SHARPEN YOUR SHAPER SKILLS

## ACCURA 02330



A PROVEN WORKHORSE

GROUND AND POLISHED CAST-IRON 28" X 30" TABLE.  
HEAVY DUTY CAST-IRON FENCE TWO SPEED 8000 AND 10,000 RPM  
3HP 220 VOLT 1PH FOR/REV 3/4" & 1" SPINDLES. ROUTER COLLETS  
AVAILABLE.

02330 3HP **\$1777.71**.  
02330B WITHOUT ELECTRIC **\$1677.61**  
ASRC-012 ROUTER COLLET **\$55.55**

## SHOP FOX W1702



THREE HP 1/2", 3/4", 1" SPINDLES  
28-1/4" X 30-1/2" TABLE. 3" DUST CHUTE 3HP 1 PH FOR/REV  
5-1/2" MAX. CUTTER DIAMETER

W1702 **\$1777.71**  
Without electric **\$1677.71**  
ROUTER COLLET D3392 **\$63.50**

## ACCURA 02034



THE DRINKING FOUNTAIN" SHAPER  
1/2" & 3/4" SPINDLES 1.5 HP 110/220 VOLT 20" X 18" TABLE  
SHOWN WITH THE OPTIONAL 20" X 7" EXTENSION TABLE INSTALLED  
MAKING IT 20" X 25" OVERALL  
MAXIMUM CUTTER DIAMETER SIZE 5"

02034 SALE **\$1099.01**  
02034B w/o ELECTRICS **\$888.88**  
ASEW-207 optional 20" x 7" extension **\$133.31**.  
ASRC-012 1/2" ROUTER COLLET **\$55.55**

## SHOP FOX W1674



24" X 21" CAST-IRON TABLE 2 HP 110/220 VOLT.  
2 SPEED 7000 & 10,000 RPM MICRO ADJUSTABLE FENCE

5 INCH MAXIMUM CUTTER DIAMETER **\$1530.45**  
ROUTER COLLET D3080 **\$63.50**

*Get the job done quickly.*

Powermatic, Pm2700 230 V Single Phase 5 Hp 1-1/4" Spindle Shaper  
30"X40" Precision Ground Table  
Heavy Duty Fabricated Cabinet With Cast-Iron Base And Built-In Casters  
7500 And 10,000 Rpm, Digital Height Control  
Micro Adjustable Fence  
5hp 1ph Or 3 Phase **\$4899.99**  
3hp 1 Ph **\$4599.99**



Oliver Super Duty 4705 1-1/4" Spindle Shapers  
Three Speeds 5000, 7000 And 10,000  
Includes 1-1/4" & 3/4" Spindles  
39"X31" Table  
Digital Height Read Out  
Micro Adjustable Fence  
Max Tool Diameter 7" Below Table 8" Above Table  
Shipping Weight 800 Lbs  
Model, 4705.001 5hp 1ph **\$4299.99**  
Model, 4705.003 7.5 Hp 3ph **\$4299.99**



Model 10047 1-1/4" Spindle Shapers  
Micro Adjustable Fence.  
Other Spindles And Router Collets Are Available  
Table Size 32"X 26"  
6 1/4" Table Opening  
4000 6000 8000 And 10,000 Rpm  
The Variable Speed Model Uses A Vfd 5000 To 10,000 Rpm  
4" Under The Nut  
Model 10047.002 5hp 1 Ph  
Model 10047vs 3hp 1ph Variable Speed **\$3199.99**  
Model 10047.001 3hp 1ph **\$2899.99**  
Model 10047.B Without Electrics **\$2799.99**



# DO YOU HAVE YOUR WORK CUT OUT FOR YOU?

IF SO WE CAN HELP. JUST CHOOSE ONE OF OUR ACCURA HEAVY DUTY WOOD CUTTING BANDSAWS RESAW  
HEROS THESE SAWS HAVE BEEN PROVEN COMING OUT OF THE SAME FACTORY FOR OVER 30 YEARS



OUR ACCURA HEAVY DUTY, 20" AND 24" WOOD, CUTTING BANDSAWS FEATURE HEAVY GAUGE HIGH RIGIDITY, WELDED STEEL CABINETS. THE CAST-IRON BLADE WHEELS ARE FULLY BALANCED WITH RUBBER TIRES AND TRAVEL ON QUALITY SEALED BEARINGS. THE 4 INCH DUST PORT IS SUPPLIED STANDARD. THE FOOT BRAKE PEDAL SYSTEM STOPS THE SAW QUICKLY. RACK AND PINION SYSTEM FOR THE UPPER GUIDE MAKES EASY SETTING AND ADJUSTMENT WITH THE HAND WHEEL. FEATURES BALL BEARING BACK ROLLER GUIDES WITH HEAVY DUTY, EUROPEAN STYLE DISC BLADE GUIDES. THE CAST-IRON TABLES AND FENCE ARE PRECISION GROUND AND THE TABLES TILT 45° WITH POSITIVE STOPS AT 45° AND 90° the bottom wheel cleaning brush saves maintenance and the hinged cabinet doors use quick lock knobs. The motor is totally enclosed fan cooled type and is protected by a magnetic starter. Deluxe cast iron fence and heavy duty Miter gauges are included.

**ACCURA 02020 20" 3 HP** Uses standard blades 155" long and 1/4" to 1-1/2" wide. Table size is 20" x 24" and the cutting capacity is 12" high and 19-3/4" inches wide. ships at 638 lbs \$2425.26

**ACCURA 02024 24" 5 HP 1 PH** Uses standard 176" long blades 1/4" to 1-1/2" wide. table size is 26" x 21" and the cutting capacity is maximum 16" high and 23-3/4" wide. Ships at 704 lbs \$2999.92



## SHOP FOX, 19 INCH WOOD CUTTING BANDSAW MODEL W1729

cast iron wheels 2 HP 115 V/230 V motor 18-1/4" inch throat capacity with a 12" cutting height .  
Uses 143" blades 1/8" to 1" wide, two speeds  
1700 and 3500 feet per minute.

Euro style blade guides, two dust ports, blade tension indicator and deluxe rip fence 435lbs shipping weight

**\$2299.99**



## GRIZZLY 17 INCH WOOD CUTTING BANDSAW MODEL G0153A40

deluxe rip fence, 2 hp 115/230v 16-1/4" throat capacity with a 12" thickness capacity 131-1/2" long blades 1/8" to 1"

wide 2 speed Euro guides 322 lbs

**\$1488.41**



## SHOP FOX 14" HEAVY DUTY CABINET MAKERS BANDSAW CAST IRON FRAME AND WHEELS ON CABINET BASE 1 HP

ball bearing guides, deluxe rip fence and heavy duty miter gauge supplied 13 1/2" throat depth 6" thickness capacity. Uses 93 1/2" blades from 1/8" to 3/4" wide

**\$999.99**

### 12" PRODUCTION MODEL CABINETMAKERS TABLE SAW

ACCURA MODEL 02212

#### Dimensions:

Overall: 81 1/2" wide, x 38 1/2" deep x 39 1/2" high  
 Base footprint: 26" x 23 1/2"  
 Shipping crate: 34" x 43" x 30"  
 Rip fence packed in separate cardboard box: 22 lbs, 16" x 44" x 6"  
 Fence rails packed in separate cardboard box: 3" x 3" x 79"



Included accessories:  
 Cast iron dado insert  
 Riving knife and Quick release, blade guard  
 Tool kit, including special spanner wrenches, allen wrench for changing out the arbors, arbor extension for dados, arbor wrenches, & spare parts

**High** quality, high durability saws manufactured by a factory we have represented for over 35 years.

#### Specifications:

- Max dado width: 1 3/16"
- Interchangeable Arbor system
- 1" arbor is highly rigid, offering glue line rips
- Miter slot is 3/8" x 3/4" with tee slots.
- Heavy-duty miter gauge included
- 50" fence and rail system capacity rip to right of blade
- Right-Tilt
- Requires a 30 Amp fused circuit.
- Included magnetic starter has thermal overload protection.
- Capacitor start and run: 27 Amps.
- 4140 RPM Arbor speed
- 13,000 ft/min rim speed with 12" blade
- Max cut depth at 90° is 4"
- Max cut depth at 45° is 2 5/8"
- Table height from floor is 34 1/2"
- Distance from the front of the table to the center of the blade is 18 1/8"

#### Features:

- Heavy duty polished and precision ground table top is 2" thick on the main casting and measures 30 1/4" deep x 48" wide with the extensions and has beveled edges for ease of feeding.
- Heavy duty stamped and welded steel cabinet for rock solid rigidity.
- Large cast iron hand wheels and locks for ease of adjustment.
- Fence lifts straight up off of the table easily when not in use.
- Triple belt drive with cast iron pulleys and sealed and permanently lubricated bearings for long life.
- Heavy cast iron trunnions, with the driven pulley yoked between bearings on both sides of the pulley. Inboard and outboard for low vibration and high rigidity.
- Even the table blade inserts are cast iron, approximately 3/4" thick, with both standard and dado inserts included
- 5/8" arbor is convenient, letting you use any existing blades with 5/8" arbors.
- Hinged motor cover is standard and cabinet base is sloped to the 4 inch dust port to aid in dust collection.
- The camlock fence locks squarely only on the front rail giving you accuracy so that when you read your measurements in the cursor, you don't have to double-check them front and back on the fence.
- The 5 HP 220 V single phase motor is a heavy duty TEFC, copper-wound beast with a cast iron frame for big jobs.

#### Sliding Table Assembly:

- The 48" x 96 capacity sliding table assembly is available and bolts right onto the cabinet with existing hardware included.
- 49" crosscut capacity allows you to cut 4x8 sheets in half
- Deluxe aluminum extrusion miter bar, slides in and out closer to the blade and has precision flip down stops for repetitive cutting.
- The heavy duty quick clamp and roller bearings along with the flip stops make precision cutting of parts like cabinet doors a breeze.
- We have had many people mount our sliding table to almost any table saw by making brackets to fit.
- You can get the sliding table with the saw at the time of purchase or you can add it any later time.

02212R shown with optional sliding table

#### Standard Models:

02212 5HP 220 V single phase.....	\$2,555.52
02212 B No electrics for use with line shaft or hydraulics.....	\$2,400.42
02212 R 5 PH single phase with sliding table.....	\$3,633.63
02212 RB Without electric with sliding table.....	\$3,233.34

#### Special-order Models:

02212 RT 7 1/2 HP three phase with sliding table.....	\$3,633.63
02214 R 14" 5 PH single phase with sliding table.....	\$5,253.54
02214 RT 14" 7 1/2 HP three phase with sliding table.....	\$5,252.54
Model ASTA-408 4'x8' sliding table assembly.....	\$999.99

**Our** 10" cabinet saws are left tilt and offer most of the same benefits as the 12" saws. The major specifications are:

- 10" diameter saw blade capacity
- Maximum dept of a cut at 90 degrees: 3"
- Maximum depth of a cut at 45 degrees: 2"
- Table size with extensions 36" x 27"
- Sliding table capacity 4' x 8'
- Maximum rip capacity to right of blade 50"
- 5/8" arbor 4200 RPM
- 3 HP 220 V single phase
- Table height 34 1/4"
- Shipping weight 497 lbs
- Net weight 407 lbs



#### 10-Inch Models:

02210 3 HP.....	\$1,999.99
02210 LB No electrics.....	\$1,855.81
02210 LS 3 HP with 4x8 sliding table.....	\$2,999.92
02210 LRB No electrics with 4x8 sliding table.....	\$2,844.82

# PROFESSIONAL SAWS WILL BECOME THE CENTERPIECE OF YOUR SHOP



## POWERMATIC PM1-PM23150KT 3HP 230V 50"

### OUTSTANDING FEATURES:

YOU ONLY HAVE TO BUY IT ONCE IN YOUR LIFETIME THEN YOU PASS IT DOWN TO THE NEXT GENERATION

- The finish ground and polished table is oversized and
- Features armour glide technology for low friction and rust resistance
- Redesigned integrated retractable hydraulic caster system
- Wide stance heavy duty box trunnion and concave teeth on the trunnion gears. Arbor lock for convenient blade changes
- Comes with deluxe motor cover and accufence with 50-inch commercial rails with legs and extension table
- There are many different versions of the saws we can order exactly what you would like

**\$5399.99**



## SHOP FOX, 10 INCH HYBRID TABLE, SAW WITH RIVING KNIFE

### OUTSTANDING FEATURES:

- Precision ground cast-iron table.
- Cabinet-mounted cast-iron trunnions.
- Easy-glide 2 position fence system with micro adjustment.
- Fully enclosed blade guard with integrated dust port
- 2 HP 115V/230 V single phase
- 40-1/8" wide by 27" deep table size
- Advanced dust collection
- **W1888**

**\$1999.91**



## SHOP FOX 10" OPEN STAND HYBRID TABLE SAW

### OUTSTANDING FEATURES:

- Heavy duty cabinet mounted trunnions
- Precision ground cast-iron table with steel extension wings
- Enclosed upper cabinet for maximum dust containment
- Three point mobile base provides stability on uneven floors
- 2 hp 120 v/240 v with poly serpentine belt drive
- Precision easy-glide fence system
- **W1837**

**\$1299.99**



## SHOP FOX 2HP BENCHTOP TABLE, SAW WITH QUICK SET UP MOBILITY STAND

### OUTSTANDING FEATURES:

- Lightweight aluminum table won't rust on wet job sites.
- Pull-out extensions up to 42-1/2" wide for larger pieces
- Micro-adjustable fence
- **W1875**


**\$575.75**

## 18" UP-CUT PNEUMATIC CUT OFF SAW

### ACCURA MODEL 02218

- Left-hand configuration blade will be on the left side of the cabinet.
- When facing the saw, feeding will come from the right hand side.
- 10 HP three phase 220 V motor, 28 Amps full load magnetic starter with overload protection.
- Optional 440 Volt conversion kit in stock.
- Comes with 84" in-feed and out-feed roller tables. Included out-feed table has fixed stop and flip stop.
- 18 inch sawblade is included.
- Updated automatic safety guard with adjustable fingers is standard.
- Arbor is 1 inch diameter. 3200 RPM
- Cutting capacity is 2" X 12" or 3" X 11" or 4" X 10"
- Cycle speed adjusts from the front up to 45 cycles per minute.
- 90 psi air pressure needed.
- 900 pounds gross weight.
- 770 pounds net weight.


**Great** for pallet shops, lumberyards, furniture, cabinet, and door shops. Easy, safe operation as follows: Air clamps and guard holds the lumber down. Then the sawblade rises pneumatically from under the table, making the cut then returns after cutting. Then the guard and clamp are released.



**Model 02218 with in-feed and out-feed tables \$6999.96**

Call for quote on special order Model 02224 24-inch Capacity Saw.

Multiple anti-kickback devices ensure safe feeding.



## STRAIGHT LINE RIP SAW

### ACCURA MODEL 03212

**Power** driven feed of timber by heavy duty precision bottom feed chain set into work table. Feed chain ensures timber is cut perfectly straight even if incoming stock is curved or cupped.

- Side and rear guards ensure operator safety.
- Handwheel adjustment for in-feed fence positioning.
- 5 hold-down rollers.
- Top mounted blade arbor.
- 12" blade maximum diameter, 12" blade included.
- Maximum workpiece thickness 3 3/8"
- Throat capacity of machine is app 18 1/2"
- Variable feed speed rate from 50-100 fpm.
- 5" dust port for ease of chip extraction.
- NOTE: Board width must be greater than height to ensure glue line rip.

#### Model 03212V

- 15HP main motor
- 2HP feed motor
- Prewired for 220 volts (can be wired for 440 volts)
- Automatic chain lubrication with low oil shutdown
- Ship Weight 2,250 lbs

**\$12,444.21**

#### Model 03212VB

- Without electrics for line shaft, hydraulics, or air power use
- Manual lever pump chain oiling
- Ship weight 1,980 lbs

**\$11,888.11**

#### Model # ASSL-012

Laser Attachment

**\$1,288.21**




# 10" SLIDING TABLE SAW WITH SCORING BLADE

Made for cutting wide panels in limited shop space, this 10" Sliding Table Saw features a scoring blade to eliminate cross grain tear-out, a 63" long crosscut capacity, telescoping crosscut fence with two rock-solid flip-stops, fully-adjustable miter fence with flip stop, two-position extruded aluminum rip fence, riving knife, and large blade guard with integral dust port. This 10" Sliding Table Saw makes quick work of all standard plywood panels. Accepts 10" saw blades with 5/8" arbor bores or dado blades up to 13/16" wide. CSA certified!




## SPECIFICATIONS:

- ◆ Motor: 5 HP, 230V, single-phase, TEFC, 3450 RPM, 19A
- ◆ Blade tilt: 0°-45°
- ◆ Table size without extension wings: 27" L x 14 3/8" W
- ◆ Sliding table size: 63" L x 12 1/4" W
- ◆ Main blade arbor speed: 4000 RPM
- ◆ Main blade diameter: 10"
- ◆ Main blade arbor diameter: 5/8"
- ◆ Scoring blade diameter: 3 1/8"
- ◆ Scoring blade arbor diameter: 22mm
- ◆ Scoring blade arbor speed: 8000 RPM
- ◆ Maximum dado width: 13/16"
- ◆ Maximum depth of cut at 90°: 3 1/8"
- ◆ Maximum depth of cut at 45°: 2 1/4"
- ◆ Maximum ripping width with standard rip fence: 33"
- ◆ Maximum crosscutting width with crosscut fence: 78 1/2"
- ◆ Maximum crosscutting length with crosscut fence: 63"
- ◆ Overall dimensions: 76" L x 124 3/4" W x 46" H
- ◆ Space required for full range of movement: 123" x 150"
- ◆ Dust port size: 2 1/2" on blade guard, 4" main
- ◆ Shielded and lubricated bearings
- ◆ Includes extended-reach push stick
- ◆ Switch: magnetic with thermal overload protection
- ◆ Approximate shipping weight: 687 lbs.
- ◆ CSA certified



Crosscut fence for making repeat 90° and angled cuts up to 78" wide on large panels.



Miter fence with clamp and adjustable flip-stop for crosscutting and mitering smaller workpieces.



Shop Fox W1676 6" x 48" belt sander with 10" disc

Horizontal/vertical Cast iron construction with dust Collection

On cabinet base  
**\$899.99**



Grizzly G 1183 6" x 48" belt sander with 12 inch disc heavy duty bench model lots of cast-iron great for woodworking or metalworking

**\$999.99**



Shop Fox W1712 6" x 48" belt with 12" disc 1-1/2 horsepower on heavy duty cabinet base

Horizontal, vertical cast-iron construction with dust collection  
**\$1099.91**



Shop fox W1843 knife belt sander buffer Also, many uses in fabricating shops 2" x 72" belts on one side buffing wheels can be mounted on the other side

**\$848.48**



Shop Fox W 1855 4" x 36" belt with 6" disc horizontal/vertical sander  
**\$175.71**



Shop Fox W1850 1" x 42" belt sander with 8" disc heavy construction great for inside detail work and squaring up Fabrications  
**\$377.73**



Shop Fox W1815 15" stationary disc sander on heavy duty cabinet

**\$1399.13**



Shop Fox W1686 oscillating spindle sander, heavy duty, high production rated model

Huge 27 1/2" x 27 1/2" cast-iron tilting table 10 spindle cartridges 1/4" to 4" diameter

1 hp, Oil filled gearbox for oscillation, proven labor saver  
**\$1555.51**



Shop Fox W1838 2" x 27" belt with 6 inch disc combination sander  
**\$177.71**



Shop Fox W1828 12" disc sander  
**\$363.63**



Shop Fox W1846 spindle sander  
**\$373.73**



Shop Fox W1831 oscillating spindle sander  
**\$235.32**



# GET THE EDGE ON YOUR COMPETITION

## ACCURA #03108 AS SHOWN OUR BEST SELLING EDGE SANDER FOR A REASON



ACCURA #03108 AS SHOWN OUR BEST SELLING EDGE SANDER FOR A REASON  
A VERSATILE PRODUCTION WORKHORSE

THE SANDING BELT OSCILLATES 1/4" 52 STROKES PER MINUTE FOR TIME SAVING PRECISION SUPER SMOOTH FINISHES.

THE PRECISION GROUND CAST IRON TABLE IS 35" X 12" AND TRAVELS 4" VERTICALLY TO UTILIZE THE ENTIRE BELT FOR MAXIMUM LIFE

THE 6" X 108" BELT SPEEDS 3150 FT./MIN. ALONG THE GRAPHITE PADDED 6-3/4" BY 39-3/4" PLATEN AND CAN BE SIMPLY TILTED FROM 0 TO 90° HORIZONTAL, VERTICAL OR ANYWHERE BETWEEN

MACHINE SITS ON A HEAVY GAUGE STEEL STORAGE CABINET

TWO 4" DUST PORTS ARE COMBINED WITH EFFICIENT DUST COVERS THAT SWING AWAY FOR LONGER BOARDS

CONVENIENT CONTOUR SANDING IS ACCOMPLISHED WITH THE 10" X 11-1/2" CAST-IRON TABLE COUPLED WITH THE 3-7/8" DIAMETER, OSCILLATING IDLER ROLLER AND THE 3 INCLUDED SANDING SPINDLES

MITER GAUGE AND ACCESSORY SANDING FENCE FOR HORIZONTAL OPERATION ARE BOTH INCLUDED TO FIT THE PRECISION T SLOTS IN THE TABLE

3 HP 220 SINGLE PHASE ELECTRICS WITH CONVENIENT EMERGENCY STOP BUTTON

60" WX12" DX49" H 19-1/2" X32" FOOTPRINT APPROX SHIP WT 594LBS SALE PRICE \$2677.62

ALSO AVAILABLE IS OUR ACCURA MODEL 03089 WHICH IS BASICALLY THE SAME MACHINE EXCEPT FOR THE FOLLOWING DIFFERENCES: 2 HP 220 VOLT 1PH 6" X 89" BELT 6-3/4" BY 3-1/4" INCH PLATEN

AND 12" X 26-7/8" EDGE TABLE. 19-1/2" X 22-1/2" FOOTPRINT. OVERALL 50-1/2" X 23" DEEP X 49" HIGH SHIP WEIGHT 462 LBS. SALE PRICE \$2468.10

A DUAL PURPOSE MACHINE DOING TWO JOBS WITH ONE FOOTPRINT  
A GREAT MACHINE FOR SANDING DOORS, CABINETS, FACE FRAMES, WIDE BOARDS, AND PANELS

THE 6" X 186" LONG BELT TRAVELS AGAINST THE SUPER LONG 69" GRAPHITE COVERED PLATEN AT 3600 SFPM DURING THE EDGE SANDING OPERATIONS THE STROKE SANDER IS EASILY CONVERTED IN MINUTES BY TILTING THE PLATEN 90° BACK INTO THE HORIZONTAL POSITION AND IS GREAT FOR USE WITH THE 6" X 10-1/2" GRAPHITE COATED PLATEN PAD, WHICH IS MOVED BACK-AND-FORTH ALONG THE BALL BEARING RAIL WHILE YOU ARE SLIDING THE 59" X 23" TABLE BACK-AND-FORTH. GREAT CONTROL FOR ULTRA-PRECISE FINISHES OR AGGRESSIVE STOCK REMOVAL. GREAT HEIGHT CAPACITY 21" BOXES CAN BE SANDED.

TABLE TRAVELS VERTICALLY 21-3/8" AND HORIZONTALLY 18" / PLATEN TRAVELS 50-1/2" ON BALL-BEARING SLIDES/ THE BELT DRUM WHEELS ARE 8" DIAMETER/ THERE ARE TWO 4" DUST PORTS/OVERALL SIZE: 98" X 48" X 67-1/2" / FLOOR TO TABLE HEIGHT 21-1/2" TO 42-3/4" / SHIPPING DIMENSIONS 36 X 87 X 23 WEIGHS 745 POUNDS #01560 \$4243.44

## ACCURA #01560 6" X 186" COMBINATION EDGE SANDER STROKE SANDER



## OLIVER #6303 6" X 89" OSCILLATING EDGE SANDER AS SHOWN



1/2" OSCILLATION STROKE

HEAVY STEEL CABINET BASE WITH STORAGE/ 3900 FPM BELT SPEED

1.5 HP 115/230 PREWIRED, 115. 650 CFM IS NEEDED FOR DUST REMOVAL  
HEAVY STEEL GRAPHITE-COATED PLATEN TILTS FROM 0 TO 90°

THE MAIN TABLE IS 10" X 29-1/2" AND THE END TABLE IS 9-3/4" X 11-3/4"

OVERALL, 50" X 24" X 49" HIGH WEIGHT 270 POUNDS

INCLUDES 2" X 23-1/2" FENCE FOR USE IN THE HORIZONTAL POSITION ALONG WITH A MITER GAUGE.  
ADJUSTABLE END TABLE IS INCLUDED FOR HORIZONTAL CONTOUR SANDING #6303

\$1499.99

ALSO AVAILABLE #6305 VERY SIMILAR EXCEPT IT HAS A TILTING-TABLE NON-OSCILLATING. TABLE TILTS FROM 90° TO 180° \$1449.99

ALSO AVAILABLE OLIVER#M-6320 THE VERY LATEST 3 HP 9" X 138" OSCILLATING EDGE SANDER \$5699.99

### ACCURA 03526 25" Double Brush Head Sander

Single phase power with dual 3 HP 3 phase motors 230 V

**Great for** reclaiming lumber, weathering and distressing lumber, making new lumber look old, removing previous finishes, deglazing, denibbing, texturing high and low or soft and hard grain on certain woods, sanding raw wood, scuffing, blending, paint prep, exposing and opening wood grain for different finishes, cleaning, and highlighting.

- With variable frequency converter.
- 1/6 HP DC Conveyor motor.
- Conveyor speed: 6-20 fpm.
- Supplied standard with one steel coil wire brush: 0.5 mm wire and one nylon brush #80 grit.
- Drum speed 0 to 1,200 rpm
- Both drums are individually controlled with their own digital drum speed indicator and are reversible.
- Four 4" outlets are built into the top dust hood to suck away your dust and debris.
- Max board width: 25"
- Min board width: 2"
- Max board thickness: 5"
- Min board thickness: 1/4"
- Dimensions: 57 3/4" x 38" x 47 1/2" high
- Weight: 782 lbs.

Model 03526.....\$9,988.77

Spare brushes in stock:

ASDB-825W 8" x 26" x 0.5mm Wire Brush.....\$1,199.11

ASDB-825N 8" x 25" #80 Grit Nylon Brush.....\$1,199.11



Shown: Model 01036  
Pump Sleeve Arbor Assembly  
with heavy-duty welded stand

### ACCURA Inflatable "Bag Sanders"

Pneumatic Drum Sanders for contour and irregular sanding

- 36" long shaft for mounting the pump sleeves, sanding brushes, wheels, etc. Includes 6" driven pulley.
- Use your own motor or line shaft.
- Arbor can be mounted right to your bench, or you can purchase the heavy duty welded stand as shown.
- Can accept pump sleeves up to 12" wide.
- Includes ball bearing pillow blocks with riser stands, lock collars, flanges, and lock nuts.
- Usually ran at about 800 rpm.

Model 01036 1" Shaft diameter.....\$269.99

Model 01436 1 1/4" Shaft diameter.....\$323.99

#01037 Heavy duty welded stand.....\$399.99

Our field-proven pump sleeve assemblies are priced as follows:

Model Number	Diameter x Length ( Bore )	Price
ASPD-049	4" x 9" ( 1" )	\$89.99
ASPD-449	4" x 9" ( 1 1/4" )	\$89.99
ASPD-069	6" x 9" ( 1" )	\$154.99
ASPD-469	6" x 9" ( 1 1/4" )	\$154.99
ASPD-089	8" x 9" ( 1" )	\$275.00
ASPD-489	8" x 9" ( 1 1/4" )	\$275.00

#### Parts

4" Canvas sleeve.....	\$11	Rubber bladder \$19
6" Canvas sleeve.....	\$19	Rubber bladder \$34
8" Canvas sleeve.....	\$26.67	Rubber bladder \$49
Big Gulp dust collection flanges.....	\$15 /ea.	

#### Sanding String Finger Assembly

ASAD-610 6" x 10" (1" bore).....	\$139.99
ASAD-614 6" x 10" (1 1/4" bore).....	\$139.99

# FINISH SMOOTHLY WITH ONE OF OUR LABOR SAVING SANDERS

## ACURA 03525D 25" Double Drum Sander

5HP 220 Volt main motor with DC feed motor 1/8 HP pulse free.

- Capacity: 25" wide, 5" thick
- Our machine construction has cast iron table brackets moving up and down on ground cast iron columns with bevel gears smoothly and precisely and offer finishes far superior than the tin box chain & sprocket style drum sanders.
- Cut sanding time in half by loading 2 different grits of sandpaper on the drums.
- The 5" diameter dynamically balanced drums are air cooled and easily reloaded with paper.
- Stationary front drum and microadjustable rear drum to accommodate different sanding requirements.
- 2x4" dust chutes pull dust out efficiently.
- The heavy duty thick rubber conveyor belt is controlled with a PC board and microadjust dial to set the feed rate from 6-30 fpm with a simple knob twist. This allows you to offset harmonic resonances from milling marks or grain patterns.
- This machine uses standard 4" heavy weight roll paper, spiral wound on the drums.



Model 03525D 5HP.....\$3,188.13  
 Model 03525B Without electrics for amish friends to convert for lineshaft or hydraulic use.....\$2,999.92

## Shop Fox W1738 37" Wide Belt Sander

15 HP 3 Phase

- Digital control pad
- Variable speed conveyor 15-49 fpm
- Adjustable graphite/felt platen
- Quick change belt with auto tension
- Max thickness 6", Min Thickness 1/4"
- Sand belt oscillates 5/8"-3/4"
- Belt speed 2,565 fpm 75 psi
- 3x4" Dust ports
- 1,791 lbs



Model 01754 SALE.....\$15,333.51

## Shop Fox W1678 26" Drum Sander

5HP 220 Volts



- Dual drums
- 26" wide, 4" thick capacity
- Variable speed 0-20 fpm
- 2x4" Dust ports
- Hook and loop paper attachment
- Microadjustable rear drum
- 3" wide paper, 195" long
- Ship weight 546 lbs
- Net weight 435 lbs

Model W1678 SALE.....\$3,677.63

## Shop Fox W1772 37" Double Drum Sander

For production environments and industrial sanding.



- Dual 6" drums
- 36 1/2" wide, 4" thick capacity
- Variable speed from 8-25 fpm
- 4x4" dust ports
- 1 Steel drum, 1 Rubber coated
- 5 Pressure rollers
- Sandpaper speed 2,800 fpm
- Net weight 1,238 lbs
- 62" wide x 53" deep x 49" high
- Shipping: 57" x 62" x 43", 1,374 lbs
- Uses 6" wide sandpaper, 138" long

Model W1773 15 HP 3 Phase 1/3 HP Conveyor SALE.....\$6,456.67  
 Model W1772 10 HP 1 Phase 1/3 HP Conveyor SALE.....\$6,465.67

## ACCURA 01754 Open End Wide Belt Sander 16"-32"

With 2 Passes 5 HP single phase 220 Volts

- The open sided design allows for pieces up to 32" wide to be sanded by turning the piece around.
- 2 feed speeds: 15 / 32.5 fpm
- Pneumatic tracking
- Combination head with graphite/felt platen for precision finishes
- 17"x54" Sand belt
- 2,200 s.f.p.m.
- 4" dust port
- Load meter is mounted on front control panel for easy monitoring
- 1/4 HP feed motor
- Footprint: 40" x 29" x 66" high
- Pull out extension bar for support when sanding 32"
- Requires 40 amp breaker and 4cfm air
- 800 cfm dust collection
- Shipping weight: 1,106 lb, Net weight: 995 lbs



Model 01754.....\$6,667.68

## Shop Fox 18"-36" Open End Drum Sander 1/2HP 120 Volts

- Sands stock up to 36" wide and 4 1/2" thick
- Variable speed feed 0-12 fpm
- 2 Sandpaper speeds: 2,600 and 3,400 fpm
- Uses 3" wide sandpaper
- Approx Ship weight 235 lbs



Model W1854 SALE.....\$1,288.21

PRODUCTION DOVETAIL MACHINES CAN PRODUCE STRONG AND ATTRACTIVE, HALF BLIND DOVETAIL JOINTS, CUTTING TWO JOINTS AT A TIME, PROVIDING A FOUR SIDED DRAWER IN LESS THAN TWO MINUTES 1",1-1/2",2", and 2-1/2" DOVETAILS.

1 HP 1PH WITH MAGNETIC SWITCH 18,500 RPM SPINDLE CAST IRON FRAMES  
BALL BEARING LINEAR GUIDES  
PRECISION WORK STOPS AND QUICK CLAMPS FOR HIGH PRODUCTION  
4-INCH DUST PORT

### TWO PROVEN MODELS TO CHOOSE FROM.

ACCURA 01065 16-1/2" WIDE CAPACITY BY 59" LONG WITH PNEUMATIC QUICK ACTION, AIR CLAMP SYSTEM

**\$4748.49**

ACCURA 01045 11-1/4" WIDE CAPACITY BY 28" LONG WITH MANUAL QUICK CLAMPS

**\$3599.53**



### SHOP FOX W1833 POCKET HOLE MACHINE

UNIQUE NO ADJUST HOLD DOWN SYSTEM MAKES THIS MACHINE ONE OF THE FASTEST EASIEST POCKET HOLE MACHINES AVAILABLE.TWO OR MORE PEOPLE CAN SHARE THE MACHINE WITHOUT LOSING TIME BETWEEN SET UPS. FOR 1/2" TO 1-1/2" THICK MATERIAL

1/2 HP 120 V 2500 RPM, 15° DRILL ANGLE 12" FENCE

Model W 1833 **\$888.88**

Model 1833LSR line shaft ready model for use without electricity

**\$1199.11**



### POWERMATIC 719T TILT TABLE HOLLOW CHISEL MORTISER

HEAVY CAST-IRON CONSTRUCTION 20-1/4"x7" TILT TABLE WITH ADJUSTABLE LINEAR STOPS AND FLIP DOWN STOP ALONG WITH A QUICK ADJUST CLAMP HEAVY STEEL CABINET 1/4"-1" capacity

**\$1699.99**



### SHOP FOX BENCH MODEL, MORTISING MACHINE, W1671

CUT STRAIGHT SQUARE SIDED MORTISES IN SHORT ORDER SUPER HEAVY-DUTY FENCE, SWIVEL BASE FOR OFF THE BENCH OPERATIONS TWIN HARDENED AND GROUND CAST IRON COLUMNS MICRO-ADJUST FENCE 3/4HP MAX 8" WIDTHS 5/8" & 3/4" COLLARS MAX 5/8" CHISELS 92 LBS

**\$599.95**



### GRIZZLY G 0642 15 BIT LINE BORING MACHINE FOR 32MM CABINET CONSTRUCTION

THE HAND LEVER ACTIVATES THE CLAMPS AND LOWERS THE BORING HEAD EASILY AND EFFICIENTLY WITH A PRECISION DEPTH STOP, 3 INCH TRAVEL, AND A NUMERICAL DOWN-FEED STROKE INDICATOR 15 SPINDLES 10MM SHANK 8LEFT 7RIGHT 1HP 1PH TABLE TRAVELS 8" AND THE MAXIMUM WIDTH CAPACITY IS 12-1/2" 28 " FENCE WITH 28" LEFT SIDE EXTENSION HAS ADJUSTABLE FLIP STOPS AND INDEXING PIN

**\$3333.33**

# MOVE YOUR YOUR JOBS FORWARD FASTER WITH OUR POWER FEEDERS

**Our** power feeders prevent kickbacks, protect fingers, give superior machining effects, and give consistency while they speed up production and even make your cutters stay sharper and last longer.

Our feeders are made by the number one factory in the world and can be utilized on shapers, table saws, bandsaws, jointers, and more. Great for resaw, ripping, milling, jointing, especially wide and long boards, and they are fully adjustable vertically and horizontally to align with the fences. Many different models to cover many applications.



03330-  
DC30 ½  
HP DC  
VS/5-72  
FPM.

**\$1199.11**



03340-  
DC40 1/2  
HP DC  
VS/ 7-72  
FPM

**\$1399.31**



03370-  
DC70  
2/3 HP  
DC VS/  
7-86 FPM

**\$1588.51**



03301-  
AF32 ¼  
HP 110  
volt

**\$699.96**



03302-  
M3 1/8  
HP VS  
6.5-39  
FPM

**\$411.14**



03303-  
AF308  
½ HP  
4 SP

**\$1088.01**



03321-  
AF34 1  
HP 1PH  
4SP 3  
ROLL

**\$1199.11**



03304-AF04  
TRACK  
FEEDER 1HP  
1PH 4 SP.  
GREAT  
FOR SHORT  
STOCK.

**\$1788.71**



03341-  
AF48 1HP  
1PH 4  
ROLL 8  
SP.

**\$1388.31.**



03306-  
AF06 1/8  
HP  
BANDSAW  
FEEDER  
0-40FPM

**\$888.88**



03344-  
AF10 1/8  
HP  
BANDSAW  
FEEDER  
0-60FPM

**\$1499.41**

**BANDSAW FEEDER - PNEUMATIC  
ADJUSTMENT**



03366-  
AF110N  
¼ HP 3.3  
-98FPM

**\$3999.93**



03355-AF  
19 1/2HP  
BANDSAW  
FEEDER  
WITH  
ROLLER  
FENCE  
4-60FPM

**\$2699.62**



03312-AF  
012  
JOINTER  
FEEDER  
8SP/12"  
AND WIDER

**\$1999.91**



03331-AF  
14 COPY  
POWER  
FEED ½  
HP 8SPEED  
7-64.5 FPM

**\$1199.11**



**Shop Fox 1-1/2 HP and 2HP dust collectors same model, except voltage, and CFM**

1-1/2 HP 110/220 Volt 1280 CFM  
6" inlet with 2 x 4" adapter \$525.25

2 HP 220 Volt only 1550 CFM 6"  
inlet with 2 x 4" adapter \$555.55

**Shop Fox  
W1826 1 HP**  
wall mount dust  
collector 537 CFM  
4" inlet \$299.99



**ACCURA cyclone model 03230**  
2100 CFM 3HP 220 Volt  
\$1488.41



Two-stage cyclone, puts the coarse  
chips into a standard drum for easily  
removal before the fine dust is sent  
to the felt high-efficiency filter bag  
Drum not included

**Shop Fox  
1 HP dust  
collector**  
W1727 800  
CFM \$386.00



**Dust collectors more suck  
for your buck**

Shop Fox W1687 3HP 2830 CFM 8"  
inlet with 4x4" adapter 220 V  
\$899.99

**Shop Fox  
portable cyclone  
dust collector,  
3HP model**  
W1869

Canister design  
13" impeller 8"  
inlet, 1941 CFM  
\$2255.22



**ACCURA 03205 37" x 25-1/2"**  
downdraft sanding table with  
built-in filter and blower 1/2  
HP 1600 CFM \$1177.11



# SWIVEL HEAD BAND SAWS

## SEND YOUR LONG PIECES STRAIGHT THROUGH

### ACCURA MODEL 01079VS Swivel Mast Metal Cutting Band Saw 60° Capacity

Our best selling metal cutting bandsaw for many reasons!

**Outstanding Features:** The *swivel feature* allows you to bring all your long material in straight through the machine. Great for using 20 or 40 foot long stock and angle changes are lightning quick as the head swivels and the vise remains stationary. **Cast-iron construction** on table, saw frame, head, sawbow and vise ensure long life, accuracy, and low vibration with stability and rigidity. The heavy duty **stamped steel** cabinet gives a rock solid foundation. Workholding vise has a quick action locking lever handle to open and close for quick repeating of cuts. The hydraulic dashpot letdown cylinder system is **infinitely adjustable**, so you can micro down your feeding speed for all your different material choices and simply use the same setting for repeat jobs. The cylinder is simply charged by lifting the saw bow. The electrical system uses a DC motor with a PC board, giving you infinitely variable blade speeds, allowing you to **dial in a perfect speed** according to your materials and blade tooth configuration getting the best blade cutting chips and long blade life. The built-in, circulating flood coolant pump system flows coolant through the guides and floods the blade for **long life** when cutting stainless and other hard materials and helps wash away the swarf, cooling and lubricating the blades for long life. The chip tray catches the coolant, screens out the chips and sends it back to the reservoir. An extra clip-on coolant splash tray is included for use when making **60° cuts**.

#### Additional Features

- Swivel turret has a degree reading scale to set your miters from 0 to 60° and locks quickly with a lever.
- Blade-driven blade cleaning wire brush keeps the blade and wheels clean.
- The saw automatically shuts off when you complete the cut so you can be doing other things at the same time.
- Or you can use the convenient trigger switch on the letdown handle for cutting small pieces quickly without the use of the hydraulic cylinder.
- Easily adjustable triple row ball bearing roller guides are cam adjusted and are easily slid back-and-forth and lever locked quickly in place close to the workplace for rigidity.
- The oil filled sealed worm gearbox provides long life and transfers the power without changing step pulleys, or wearing out belts.

#### Specifications

- 97 1/2" x 1" bandsaw blades for high rigidity and accuracy.
- An oil filled hydraulic blade tension gauge quickly determines the proper blade tension and makes it easy to untension the blade if not using it for a while and during blade changes.
- 1 1/2 hp single phase 220 V only electrical motor gives infinite variable blade speed throughout the whole range. 220 V single phase cord included no plug.
- The table mounted stop gauge allows you to make repeated cuts with ease.

#### Weight/Dimensions

- Wheel diameter 11.5"
- Vice jaw: 4 1/2" high, 5" deep.
- Floor plan measurement: 62" wide, 40" deep, 68" high.
- Footprint of actual cabinet 22" x 20 1/4"
- Cutting height: 36" from floor.
- Ships on a wood pallet with a cardboard box over top. Must ship upright.
- Shipping dimensions 23"x54"x36"H
- Shipping weight 444 lbs.


#### Approximate Cutting capacities:

- At 90°: Rectangular: 6" x 9 1/2". Round: 8 3/4".
- At 45°: Rectangular: 5" x 5". Round: 5".
- At 60°: Rectangular: 2 3/4" x 2 3/4". Round: 2 3/4".

**PLEASE NOTE** With the compact nature of this saw, it should be bolted down for stability. Or, if it is bolted onto a mobility cart, the frame of the mobility cart should be expanded to the length of the entire frame to avoid a tipping hazard.

MODEL 01079 VS.....\$2,575.25  
MODEL 01079 B Without electric.....\$2,474.24

Simple controls all in one control panel for ease of use.



Cast-iron blade wheels are balanced and use industrial sealed-for-life ball bearings.

### Accura #01016 Swivel-Head Band Saw

2 HP Single-Phase 220 Volts

**Big daddy swivel-head bandsaw** brings you easy angle changes, allowing stock to be hand or conveyor fed directly into the machine. Angle changes are made in a few seconds without the use of tools. You can swing the saw to 45° left or right on the easy to read scale.

- Extra heavy, cast-iron construction for accuracy and durability.
- Quick position vise
- Saw shuts down when completing the cut or if the blade breaks.
- Blade size: 1" x .035" x 130" long
- 82-259 sfpm variable speed with the turn of the knob.
- Bed height 26 3/4"
- Capacity at 90°: 10" dia. round and 10"h x 15" or 9"x16" rect.
- Capacity at 45°: 8.5" round/10"h x 8.5" rect.



Model 01016 Swivel-Head Band Saw.....\$5960.61

### Shop fox M1013 5" x 6" Swivel Head Band Saw

1/2 HP

- 3 speeds: 81, 120, 200 fpm
- Blade dimensions: 1/2" x 64 1/2" long.
- Weight: 176 lbs
- Swivels to 60°!

Model M1013.....\$1199.11



### ACCURA 01916 9"x16" Horizontal Metal Band Saw

1½ HP Single-phase motor

This metal band saw features heavy cast iron construction for high rigidity and best production and accuracy. It has a coolant pump for wet cutting. Controls are mounted on the bow of the saw and include a hydraulic downfeed that is infinitely adjustable between low and high settings to match the proper downfeed with the proper blade speed for maximum blade life. This machine will tackle any job you give it and be ready for more!



- Flood coolant pump system lubricates the blade, washes away and filters out the chips, and extends the blade life.
- Automatic shutoff when down cutting in the horizontal mode.
- Vertical cutting table allows notching, slitting, and countour cutting in vertical mode.
- Quick adjust vice angles to 45°
- Triple row cam adjusted roller bearing guides for accuracy.
- Hand wheels to easily change blade adjustment and tension, with covers fully protecting the user.
- Roller bearing cam-style guides and tungsten blade guide blocks standard.
- Blade size: 1" x 119 ½" long.
- Max. capacity at 90°: 9" dia. round and 2" x 16" or 9" x 14" rectangular.
- Max capacity at 45°: 9" dia. round and 9" x 9" square.
- 4 Blade speeds: 82, 132, 170 and 235 fpm.
- Speeds are easily changed by swinging open the hinged pulley cover on the rear of the saw and changing the belt.
- Overall measurements: 67" L x 30" W x 41" H (lowered) or 65" H (raised)
- Bed height: 26" from floor.
- Approx. shipping weight: 775 lbs.

Model 01916 SALE.....\$4,243.44

### Accura 01310 Super Duty Metal Band Saw 13"x18"

3 HP 3 Phase, 230/460 Volts

This MONSTER saw is perfect for the large shop! It has plenty of cut space with its 13" x 18" capacity, and the deluxe blade tension system has a tension indicator system for long blade life. An 8 gallon coolant tank and a heavy duty ¾ HP coolant pump are also included.



- Quick action vice with lever release standard.
- Wired 230 volts with magnetic switch included.
- Blade size: 161 ½" x 1".
- 4 Blade speeds: 92, 137, 198, 256 sfpm, achieved by just changing the belt.
- Max. capacity at 90°: 13" dia. round and 13" x 18" rectangular.
- Max capacity at 45°: 11" dia. round and 11" x 11" rectangular.

Model 01310 Super Duty 13" x 18" Metal Band Saw.....\$7,978.77

### ACCURA 01712 7"x12" Horizontal/Vertical Metal Band Saw

1 HP 110/220 Volts, Hydraulic Feed

This is the best selling Accura machine of all time, and deservedly so. Affordable to a small shop, and with its 7" x 12" capacity, a smart move for mid-sized and bigger shops. The powerful motor is overload protected and runs in an oil bath gear box for smooth power transmission to the blade.



- Down-feed is controlled by a hydraulic cylinder to protect the blades.
- Angles to 45° to allow angled cuts.
- Coolant pump allows for wet or dry cutting.
- Rigid frame ensures cuts are straight and true.
- A true labor saver for bar stock, pipe, tubing, plate, and structural steel.
- 4 Blade speeds: 86, 132, 178, and 260 fpm.
- Cutting capacity: 7" dia. round and 7" x 12" rectangular.
- Blade size: ¾" x 0.032" x 93" (1 blade included)
- Overall height: 39" horizontal, 64" vertical.
- Overall dimensions: 58" L x 17" W
- 9" throat depth when using vertical table.
- Approx. shipping weight: 341 lbs

Model 01712 7" x 12" Horizontal Band Saw.....\$1,488.41

### Shop Fox W1715 Metal Cutting Band Saw

¾ HP, 110 V, single-phase 1725 rpm

This economical, portable, easy-to-use, 3-speed band saw is an excellent choice for small or large projects where you must cut a variety of metals, plastics, or wood. When the vertical cutting attachment is installed, the saw is able to make vertical cuts for your unique cutting requirements.



- Blade speeds: 78 fpm at 40 rpm, 108 fpm at 60 rpm, 180 fpm at 80 rpm.
- Blade size: 643 ½" x ½" x 0.025" (blade included)
- Approx. shipping weight: 174 lbs.
- Handles and wheels for portability
- Automatic shutoff
- Three cutting speeds
- Ball bearing construction
- Vertical cutting attachment
- Max. capacity: 4 ½" dia. round and 4" x 6" rectangular.



Model W1715 Metal Cutting Band Saw.....\$699.96



# METAL-MASTERING MACHINES



- ACCURA VARIABLE SPEED, VERTICAL METAL CUTTING BAND SAWS PRODUCTION GRADE WORK HORSES PROVEN IN THE FIELD FOR 30 YEARS GREAT FOR CUSTOM FABRICATORS, HOT ROD SHOPS, SCHOOLS, FOUNDRIES, MACHINE SHOPS, MANUFACTURERS AND MORE
- 1HP 220 VOLT SINGLE PHASE CARBIDE-FACED VEE-STYLE BLADE GUIDES FOR LONG LIFE AND THE UPPER GUIDE RIDES ON A COUNTERBALANCED GUIDE SUPPORT SHAFT.
- REEVES TYPE, VARIABLE BLADE SPEED CONTROL, FOR OPTIMUM BLADE LIFE IN DIFFERENT MATERIALS.
- THE HEAVY CAST IRON TABLE TILTS IN FOUR DIRECTIONS TO ALLOW COMPOUND CUTTING
- DELUXE BUILT-IN BLADE WELDER INCLUDES THE SHEAR, GRINDER AND ANNEALER SO YOU CAN BUY BLADE STOCK IN A ROLL AND SAVE MONEY BY MAKING YOUR OWN BLADES AND ALSO DO INSIDE WORK BY BREAKING THE BLADE FEEDING IT INSIDE THE PART AND THEN RE-WELDING IT AGAIN THEREFORE HAVING A SEAMLESS PART
- CAST IRON WHEELS ARE BALANCED
- THERE IS A CHIP BLOWER ON THE UPPER GUIDE TO KEEP YOUR CUT AREA CLEAR

## TWO MODELS TO CHOOSE FROM.

- MODEL 01149 14" THROAT 9" HEIGHT CAPACITY
- BLADE SIZE 113" BLADE LENGTH X 1/8" TO 5/8" WIDTH

SPEED 65-295 SFPM

**\$3488.43**

- MODEL 01810 18" THROAT 10" HEIGHT CAPACITY
- BLADE SIZE :137-1/2" LENGTH X 1/8"-5/8" WIDTH

BLADE SPEED 85-375 SFPM

**\$4444.44**

ACCURA SLOW SPEED CIRCULAR COLD SAWS USE ENGINEERED BLADES AND LOW RPM SPINDLE SPEED TO ACHIEVE VERY PRECISION AND CLEAN CUTS WITHOUT BURRS AND WITHOUT THE STINK AND MESS OF AN ABRASIVE SAW A TRUE MACHINING OPERATION

## OUTSTANDING FEATURES:

- HEAVY DUTY, CAST-IRON CONSTRUCTION ON A HEAVY DUTY, FABRICATED CABINET BASE, QUICK ACTION, EUROPEAN STYLE VISE HAS QUICK CLAMPING LEVER FOR USE ALONG WITH SPIDER TYPE ADJUSTING HANDLE, SERRATED JAWS GRAB THE WORK TIGHT MAKE QUICK MITERS AS THESE MACHINES SWIVELS 45° LEFT OR RIGHT OR ANY DEGREE BETWEEN AND LOCK WITH A QUICK ACTION, LOCKING LEVER. HIGH QUALITY TAIWAN MANUFACTURER.
- THE FLOOD COOLANT PUMP SYSTEM WITH RESERVOIR AND FILTER IS LOCATED IN THE CABINET BASE AND PUMPS COOLANT TO THE BLADE, WASHING THE CHIPS AWAY AND LUBRICATING THE BLADE FOR LONG BLADE LIFE AND SAW DURABILITY AND ACCURACY. CUTTING HEAD HAS A SPRING ASSISTED RETURN AND BLADE GUARD RETRACTS AUTOMATICALLY. ADJUSTABLE WORK STOP GAUGE FOR REPEATING CUTS IS INCLUDED.
- MOTORS ARE DIRECT DRIVEN THROUGH THE GEARBOX FOR SMOOTH, LONG LIFE CUTS.

## WE OFFER TWO DIFFERENT MODELS

ACCURA 00315 12.5" Blade included

**\$2388.32**

- **SPECS:** Max capacity at 90° :square 3.5"/round 3-7/8"/rectangular 4.5"x2-3/4"
- Max cutting capacity at 45°:square 3.5"/round3-7/8"/rectangular 4.5"x 2-3/4"
- Max capacity for round solids at 90° or 45°:2-1/4"
- MAIN MOTOR 2.5 HP 1PH 220 VOLT 18 AMPS 1720 RPM TEFC
- BLADE RPM 52 /COOLANT PUMP 1/8 HP /COOLANT TANK 5 LITER
- ARBOR SIZE 32MM
- MAXIMUM VICE OPENING 4.724". BLADE DIAMETER 315MM 12.5"
- Machine dimensions with stand 41" long by 39" wide by 72" high
- shipping weight 445 lbs optional blades are available



MODEL 00350 14" Blade included

**\$4488.44**

- THIS MACHINE SWIVELS A FULL 90° SO THAT YOU CAN DO SLOTTING OPERATIONS
- 550 lbs
- **SPECS:** MAX CAPACITY AT 90°:SQUARE 4.7"/ROUND 4.7"/RECTANGULAR 6.3"x3.5"
- MAX CAPACITY AT 45°: SQUARE 3.5"/ROUND 4"/RECTANGULAR 3.5"x2.8"
- MAX CAPACITY SOLID MATERIALS 3 INCHES
- 3HP 208/220/240 1PH 20 AMPS
- 24-120 RPM, infinitely variable speed with digital control
- Operates on standard 220 single phase power





Shop fox m1012 48"12 gauge pan and box floor model brake/bend any angle up to 135° /use the adjustable stop collar to set the angles, heavy duty counter balance weights and the adjustable brake handle is counterweighted for ease in bending heavier gauges /capacity at half width: 12 gauge mild steel/ at full width :14 gauge mild steel/6 gauge aluminum/10 gauge brass/minimum reverse bend:1/2" maximum height of pan& box sides 6"/ eight fingers sizes (1)25"(3)4"(3")/overall size 83 x 29 x69 shipping weight 1287 lbs \$2922.92



Shop fox m1118 48"x16 gauge bench model box and pan/16 fingers (5)2"(6)3"(5)4" capacity at half width 16 gauge mild steel/ at full width 18 gauge mild steel/range 0° to 135°/minimum reverse bend 7/16" maximum pan/ box sides:2-1/2". 78-1/2"wide by 18" deep by 31" high approximate weight 353 lbs \$1388.31



Shop fox m1011 24" box & pan brake fabricate brackets, gussets, boxes or fixtures/ 20 gauge cap. In mild steel/max box depth 1-3/4" dim. 30-11/16"wx14" d x 11"h app. Weight 125 lbs \$488.84

### DEBURRING BEVELING CHAMFERING EDGE MILL



ACCURA #01500  
\$848.48

This handy little machine packs a real punch in a small package! It weighs only 64 lbs but it will cut perfect bevels from 15-45 degrees on the outside edges of plates, bar stock, flats or square stock. Simple operation, suited for unskilled personnel to use safely. Will bevel any length of steel, cast iron, nonferrous metals, plastics, acrylics, etc. Fast, accurate and time saving with easy to change carbide insert cutters. Motor is 110/220 volt and runs at 3500 rpm, guide rails are 19 5/8" long and can be replaced to easily and accurately guide longer pieces. Inserts are 4 sided app 1/2" square x 1/8" thick solid carbide positive ground so you can get 4 cutting edges from each insert. We supply extra inserts (our part #ADBC-510) for \$8.72 each. Industry standard number for insert tooling is SPMN422 mfg by Mitsubishi.

## HYDRAULIC PRESSES ARE HANDY IN THE SHOP FOR MECHANICAL, WORK, STAMPING BENDING, FORGING, ETC. FOR YOUR MOST PRESSING NEEDS.



Grizzly t27978 2speed, pneumatic and hydraulic travel with gauge /ram diameter, 2-1/4"/ 7-7/16" stroke/max 39" distance to table/110 to 125 psi needed/winch system included to raise the bed/ dimensions 51wx36d x68h/ 540 lbs \$1199.11



Grizzly t1241 20 ton. Double pump hydraulic press with gauge 2-3/8"ram/5-3/4" stroke/max 40"ram to table/ approx wt 220 lbs \$599.95

Shop, fox plate, shears:3/16" plate capacity,1/2" capacity for rods, rebar and all thread not for hardened or stainless steel

12" model m1041  
\$237.32

8"model#m1040  
\$165.61.



# YOU KNOW THE DRILL!! NOW LET'S GO AND GET THE JOB DONE!!



**SHOP FOX M1039 20" DRILL PRESS 1.5 HP 110/220 12 SPEED 180-3240 RPM**

HEAVY CAST-IRON CONSTRUCTION FOR HIGH RIGIDITY HUGE 18-3/4" BY 16-3/4" TABLE HAS TEE SLOTS AND TILTS UP TO 90° 4-3/4" SPINDLE TRAVEL #4MT SPINDLE WITH 5/8" CHUCK. 1-1/4" CAPACITY IN STEEL 317 LBS

**\$1044.01**



**SHOP FOX W1680 17" FLOOR MODEL DRILL PRESS**

12 SPEED 140-3450 RPM.#3MT SPINDLE WITH 5/8 INCH CHUCK. 3-1/4 INCH SPINDLE 235 POUNDS

**\$858.58**



**W1848 13-1/4" OSCILLATING FLOOR MODEL DRILL PRESS**

3/4 HP 110 VOLT 250-3050 RPM INCLUDES SANDING DRUM SET

**\$777.77**



**POWERMATIC PM2800B 18" SWING DRILL PRESS**

1HP 1PH 115/230 VOLT 6" QUILL TRAVEL MECHANICAL VARIABLE SPEED 250-3000 RPM WITH DIGITAL READ OUT TWO LED LIGHTS AND ONE LASER GUIDE 5/8" CHUCK 20-1/2" X 14" TABLE WITH FENCE SYSTEM THAT ADJUSTS FOR PERFECT 90°

**\$1999.99**



**SHOP FOX M1039 20" DRILL PRESS 1.5 HP 110/220 12 SPEED 180-3240 RPM**

HEAVY CAST-IRON CONSTRUCTION FOR HIGH RIGIDITY HUGE 18-3/4" BY 16-3/4" TABLE HAS TEE SLOTS AND TILTS UP TO 90° 4-3/4" SPINDLE TRAVEL #4MT SPINDLE WITH 5/8" CHUCK. 1-1/4" CAPACITY IN STEEL 317 LBS

**\$1044.01**



**SHOP FOX M1039 20" DRILL PRESS 1.5 HP 110/220 12 SPEED 180-3240 RPM**

HEAVY CAST-IRON CONSTRUCTION FOR HIGH RIGIDITY HUGE 18-3/4" BY 16-3/4" TABLE HAS TEE SLOTS AND TILTS UP TO 90° 4-3/4" SPINDLE TRAVEL #4MT SPINDLE WITH 5/8" CHUCK. 1-1/4" CAPACITY IN STEEL 317 LBS

**\$1044.01**



**SHOP FOX M1039 20" DRILL PRESS 1.5 HP 110/220 12 SPEED 180-3240 RPM**

HEAVY CAST-IRON CONSTRUCTION FOR HIGH RIGIDITY HUGE 18-3/4" BY 16-3/4" TABLE HAS TEE SLOTS AND TILTS UP TO 90° 4-3/4" SPINDLE TRAVEL #4MT SPINDLE WITH 5/8" CHUCK. 1-1/4" CAPACITY IN STEEL 317 LBS

**\$1044.01**

**DOING THE IMPOSSIBLE, BECAUSE WE KNOW HOW !! THERE IS ALWAYS A WAY!! WE HAND YOU TOOLS TO MAKE IT HAPPEN NOW! CUT THE BIG JOBS DOWN TO SIZE**

**EMPOWERING THE DREAMS OF BOLD GENIUSES**

**YOU DON'T HAVE TO BE GREAT TO START, BUT YOU MUST START TO BE GREAT**



**SEARCHING FOR PROBLEMS TO SOLVE SINCE 1983!  
WE HELP TURN YOUR KNOWLEDGE INTO POWER WITH ALL THE TOOLS AT OUR DISPOSAL. CONCEIVE IT, BELIEVE IT WE WILL HELP YOU ACHIEVE IT.**

**EVERYBODY USES USED TOOLS!**